14. The lessee shall be held responsible for the occurrence of any fire within the State Forests if there is sufficient ground for the Forest Department to think that it has been caused by his negligence or by that of his employees.

15. Neither the lessee nor his men shall enter the State Forest either before sunrise or after sunset.

16. In the event of a breach of any of the above conditions, the lease is liable to be cancelled, all the produce collected to be confiscated and a fine not exceeding Rs. 100 levied by the District Forest Officer.

M. G. RAMA RAO, For *Deputy Commissioner.*

## MYSORE DIVISION.

*Dated 12th June* 1912.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Mysore Division, up to 15th July 1912, for restoring Malegere tank, Registered No. 3 of Chamrajnagar Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1914.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Mysore between the hours of 2 and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees five hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring Mategere tank, Registered No. 3 of Chamrajnagar Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Southern Circle, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

| *Description of work* | *Per* | *Quantity* | *Remarks* |
|---|---|---|---|
| Bund— | | | |
| Earthwork ... ... ... | C. yd. | 17,482 | |
| Turfing ... ... ... | S. yd. | 10,483 | |
| Old stone work ... ... ... | C. yd. | 2,298 | |
| New stone work ... ... ... | ,, | 5,302 | |
| Grade stones with bed stones ... ... | No. | 64 | |
| Register number stone ... ... | ,, | 1 | |
| Bench mark stones ... ... | ,, | 2 | |
| Gauge stones ... ... ... | ,, | 1 | |
| Clearing jungle ... ... ... | L. S. | ... | will be paid as per actual work done. |
| Waste weirs— | | | |
| Earthwork ... ... ... | C. yd. | 2,450 | |
| Brick in surki mortar ... ... | C. ft. | 5,699 | |
| Plastering in surki mortar ... ... | Sqr. | 31·14 | |
| Rough stone work new ... ... | C. yd. | 849 | |
| Do old ... ... | ,, | 221 | |
| Clearing site ... ... ... | L. S. | ... | Do |
| Stone slabs 4½″ thick ... ... ... | S. ft. | 645 | |
| Dismantling old body wall to one uniform level | L. S. | ... | Do |
| Sluices— | | | |
| Repairing ... ... ... | L. S. | ... | Do |

*Dated 1st July* 1912.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 22nd July 1912, for improving the Periyapatna Dodkere and Chickere tanks of Hunsur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1913.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 2 to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executvie Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 300 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for improving the Periyapatna, Dodkere and Chickere," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Approximate quantities of work to be done to Periyapatna Dodkere and Chickere tanks of Hunsur Taluk.

| *Items of work.* | *Per.* | *Quantity.* |
|---|---|---|
| Earthwork including watering and tamping | C. yd. | 17,416 |
| Turfing | Sqr. | 1681·64 |
| Bench mark stones | No. | 4 |
| Gauge stones | ,, | 2 |
| Index stones with bed slabs | ,, | 78 |
| Removing and refixing old grade stones | ,, | 20 |
| Clearing jungle | Lump sum. | |
| Fixing new grade stones | No. | 18 |
| Cutting bund and examining leaks where Dodkere and Chickere joins | Lump sum. | |
| Repairing sluices | Do | |
| Waste weir | Do | |
| Earthwork | C. yd. | 1,003 |
| Dismantling masonry | C. ft. | 67 |
| Burnt brick in surki mortar | ,, | 1,715 |
| Burnt stone slabs, dressed | S. ft. | 483 |
| Plastering with surki mortar | Sqr. | 13·33 |
| Rough stone work, dry | C. yd. | 436 |
| Removing and dressing, coping slabs of body wall | Lump sum. | |
| Resetting the present apron (old) | C. yd. | 150 |
| Approach clearing | ,, | 700 |

*Dated 2nd July* 1912.

Notice is hereby given that sealed tenders will be received at the office of the Executive neer, Mysore Division, up to 22nd July 1912, for improving the late Mr. Basappaji hattram and buildings at Mysore. An approximate estimate of quantities is given These quantities are not guaranteed. The work should be completed by the end 1913.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 2 to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 500 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for improving the late Mr. Basappaji Urs' Chattram and buildings at Mysore," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Approximate quantities of work to be done on improving the Chattram in Market square and buildings in Old Agrahar, Mysore, belonging to the Late Basappaji Urs.

| *Items of work.* | *Per.* | *Quantity.* |
|---|---|---|
| *Chattram in Market square—* | | |
| Dismantling tatty walls ... ... ... ... | C. yd. | 47 |
| Removing and refixing doors and windows ... ... | No. | 14 |
| Closing door openings by tatty walls... ... ... | S. yd. | 12 |
| Excavating foundation earthwork ... ... ... | C. yd. | 11 |
| Burnt brick in clay ... ... ... ... | C. ft. | 1,418 |
| Mud plastering with cowdung washing ... ... | Sqr. | 27·39 |
| Chunam plastering ... ... ... ... | ,, | 5·65 |
| Preparing door frames, shutters, etc., with old materials available ... ... ... ... ... | S. ft. | 378 |
| Teakwood work ... ... ... ... ... | C. ft. | 218 |
| Teakwood ceiling or flooring 1½" thick with overlaping joints, etc. ... ... ... ... ... | Sqr. | 5 67 |
| Corrugated iron sheet roofing with teak reepers bolts, nuts, ridge and hip, etc., complete ... ... ... | Sqr. | 8·80 |
| Teakwood railing with iron work, etc. .. ... | R. ft. | 165 |
| Do stair case with side planks treads, rise, etc., with fitting ... ... ... ... | No. | 1 |
| Bengal terrace including cornice ... ... ... | Sqr. | 4·74 |
| Teakwood battened doors complete ... ... ... | S. ft. | 108 |
| Jungle wood screens, with up rights, screws, painting, etc., complete .. ... ... ... | Sqr. | 4·30 |
| Granite dressed slabs ... ... ... ... | S. ft. | 165 |
| Painting the exposed wood work ... ... ... | L. S. | ... |
| Whitewashing the whole building ... ... ... | L. S. | ... |
| Shifting tiles of the existing roof with new materials and chunam borders, etc. ... ... ... ... | Sqr. | 62·08 |
| Setting old ridge tiles in mortar with new ones ... ... | R. ft. | 284· |
| Supplying and fixing zinc gutters to valleys ... ... | S. ft. | 148 |
| Laying mortar bands to the centre of valleys ... ... | R. ft. | 74 |
| New teakwood carve boards ... ... ... | ,, | 316 |
| Chocolate painting ... ... ... ... | Sqr. | 1·58 |
| *Constructnig 6 houses in the stable compound at old Agrahar, Mysore—* | | |
| Removing the existing damaged roof and stacking ... | Sqr. | 48·83 |
| Dismantling terrace with scantlings and do ... | C. yd. | 130 |

| *Items of work.* | *Per.* | *Quantity.* |
|---|---|---|
| Dismantling the damaged walls and filling the basement with stacking materials ... ... ... ... | C. yds. | 193 |
| Removing and stacking the available materials in the ground floor ... ... ... ... | L. S. | ... |
| Excavating foundation earth work ... ... ... | C. yd. | 166 |
| Burnt brick in clay ... ... ... ... | C. ft. | 22,243 |
| Mud plastering with cowdung washing ... ... | Sqr. | 202·73 |
| Chunam plastering ... ... ... ... | ,, | 87·11 |
| Dressed burnt stone slabs ... ... ... | S. ft. | 890 |
| Fixing old slabs available at site ... ... ... | ,, | 136 |
| Filling basement with consolidation earth ... ... | C. yd. | 213 |
| Do do 3″ gravel ... ... | ,, | 38 |
| Flooring with 3″ concrete including smoothening... ... | C. ft. | 1,042 |
| Doors with old and new materials ... ... ... | S. ft. | 152 |
| Repairing damages to old doors ... ... ... | ,, | 205 |
| Windows of old available materials with new iron bars and fittings ... ... ... .... | ,, | 40 |
| Repairing damages to old windows ... ... ... | ,, | 132 |
| Jungle wood doors, new ... ... ... ... | ,, | 357 |
| Do windows with iron bars ... ... ... | ,, | 96 |
| Wood work to be cut to the required dimensions from old materials ... ... ... ... | C. ft. | 337 |
| Junglewood, work new with tarring ... ... ... | ,, | 430·62 |
| Roofing with required new tiles, arecanut reepers, nailing, chunam borders, etc., complete ... ... ... | Sqr. | 56·93 |
| Old ridge tiles set in mortar ... ... ... | R. ft. | 158 |
| Bengal terrace with reepers, tiles, cornice, etc. ... ... | Sqr. | 6·02 |
| Brick in mortar ... ... ... ... | C. ft. | 165 |
| Eave boards prepared from old planks ... ... | R. ft. | 274 |
| White washing, 2 coats ... ... ... ... | Sqr. | 292 |
| Junglewood eve boards ... ... ... ... | R. ft. | 324 |
| Roofing with arecanut reepers, pot tiles, with chunam borders, etc. ... ... .... ... | Sqr. | 29·62 |
| New ridge tiles set in mortar ... ... ... | R. ft. | 86 |
| Providing grinding stone, pounding stone, top and bottom stones, fixing and sundry works ... ... ... | L. S. | ... |
| Carting, tiles, doors, windows and other materials from chattram, etc. ... ... ... ... | ,, | ... |

R. V. SUNDARAMIER,
*Executive Engineer.*

---

## SHIMOGA DIVISION.

*Dated 26th June* 1912.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Shimoga Division, up to 30th July 1912, for improving the Government house at Shimoga. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1913.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Shimoga between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 350 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for improving the Government House at Shimoga," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Northern Circle, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.